

FTTH Outdoor Fiber Optic Terminal Box FDB16B

Application

- ① Widely used in FTTH access network.
- ② Telecommunication Networks
- ③ CATV Networks
- ④ Data communications Networks
- ⑤ Local Area Networks
- ⑥ No need cutting the cable

Feature

- ① Industry Standard User Interface, be made of high impact plastic
- ② Ultra violet resistant and weather proof
- ③ Up to 16 FTTH drops
- ④ Wall and pole mountable
- ⑤ ROHS compliance
- ⑥ Material: ABS

Specification

Model	FTT-FDB16a
Cable Port	2 Inlet ports(for cables with max diameter 12mm), 16 outlet ports
Capacity	16 Splicer, 16 SC Adaptors
Dimension	260x320x90(mm)
PLC splitter	1X4/1X8/1x16 PLC splitter
Protection Class	IP65
PCS/Carton	10 PCS
G.W/Carton	16.1 KGS

Accessories

Wall mounting kits	4 pieces
Screws	4 Pieces
Cable Tie	12 Pieces
Heat shrink protective sleeves	8 Pieces
Screws for SC adaptors	1 Bag
Rubber band for clamping cables	6 Pieces
Sealing fittings for drop cable	8 Pieces
Adhesive tape	1 Piece
Sealing fittings	2 Pieces
Key	1 Piece

Detail shows



